

| Litraż zbiornika ON 2500L | | |
|--|--------------------------------|----------------|
| Objętość zbiornika mierzona jest co 10 mm od dna zbiornika | | |
| Lp. | Wysokość od dna zbiornika [mm] | Objętość w [L] |
| 1 | 10 | 22,74 |
| 2 | 20 | 45,72 |
| 3 | 30 | 68,71 |
| 4 | 40 | 91,7 |
| 5 | 50 | 114,68 |
| 6 | 60 | 137,67 |
| 7 | 70 | 160,66 |
| 8 | 80 | 183,65 |
| 9 | 90 | 206,63 |
| 10 | 100 | 229,62 |
| 11 | 110 | 252,61 |
| 12 | 120 | 275,59 |
| 13 | 130 | 298,58 |
| 14 | 140 | 321,57 |
| 15 | 150 | 344,55 |
| 16 | 160 | 367,54 |
| 17 | 170 | 390,6 |
| 18 | 180 | 413,7 |
| 19 | 190 | 437,4 |
| 20 | 200 | 461,12 |
| 21 | 210 | 484,85 |
| 22 | 220 | 508,57 |
| 23 | 230 | 532,3 |
| 24 | 240 | 556,02 |
| 25 | 250 | 579,74 |
| 27 | 260 | 603,47 |
| 28 | 270 | 627,19 |
| 29 | 280 | 650,92 |
| 30 | 290 | 674,64 |
| 31 | 300 | 698,36 |
| 32 | 310 | 722,09 |

| 33 | 320 | 745,81 |
|-----|--------------------------------|----------------|
| 34 | 330 | 769,54 |
| 35 | 340 | 793,26 |
| 36 | 350 | 816,98 |
| 37 | 360 | 840,71 |
| 38 | 370 | 864,43 |
| 39 | 380 | 888,16 |
| 40 | 390 | 911,69 |
| Lp. | Wysokość od dna zbiornika [mm] | Objętość w [L] |
| 41 | 400 | 934,47 |
| 42 | 410 | 957,12 |
| 43 | 420 | 979,76 |
| 44 | 430 | 1002,41 |
| 45 | 440 | 1025,05 |
| 46 | 450 | 1047,7 |
| 47 | 460 | 1070,34 |
| 48 | 470 | 1092,99 |
| 49 | 480 | 1115,63 |
| 50 | 490 | 1138,27 |
| 51 | 500 | 1160,92 |
| 52 | 510 | 1183,56 |
| 53 | 520 | 1206,21 |
| 54 | 530 | 1228,85 |
| 55 | 540 | 1251,5 |
| 56 | 550 | 1274,14 |
| 57 | 560 | 1296,79 |
| 58 | 570 | 1319,43 |
| 59 | 580 | 1342,08 |
| 60 | 590 | 1364,72 |
| 61 | 600 | 1387,37 |
| 62 | 610 | 1410,01 |
| 63 | 620 | 1432,65 |
| 64 | 630 | 1455,3 |
| 65 | 640 | 1477,94 |
| 66 | 650 | 1500,59 |
| 67 | 660 | 1523,23 |

| | | |
|-----|--------------------------------|----------------|
| 68 | 670 | 1545,88 |
| 69 | 680 | 1568,52 |
| 70 | 690 | 1591,17 |
| 71 | 700 | 1613,81 |
| 72 | 710 | 1636,46 |
| 73 | 720 | 1659,1 |
| 74 | 730 | 1681,75 |
| 75 | 740 | 1704,39 |
| 76 | 750 | 1727,04 |
| 77 | 760 | 1749,68 |
| 78 | 770 | 1772,32 |
| 79 | 780 | 1794,97 |
| 80 | 790 | 1817,35 |
| Lp. | Wysokość od dna zbiornika [mm] | Objętość w [L] |
| 81 | 800 | 1838,81 |
| 82 | 810 | 1860,14 |
| 83 | 820 | 1881,47 |
| 84 | 830 | 1902,81 |
| 85 | 840 | 1924,14 |
| 86 | 850 | 1945,47 |
| 87 | 860 | 1966,8 |
| 88 | 870 | 1988,13 |
| 89 | 880 | 2009,46 |
| 90 | 890 | 2030,79 |
| 91 | 900 | 2052,12 |
| 92 | 910 | 2073,45 |
| 93 | 920 | 2094,78 |
| 94 | 930 | 2116,11 |
| 95 | 940 | 2137,44 |
| 96 | 950 | 2158,77 |
| 97 | 960 | 2180,1 |
| 98 | 970 | 2201,43 |
| 99 | 980 | 2222,77 |
| 100 | 990 | 2244,1 |
| 101 | 1000 | 2265,42 |
| 102 | 1010 | 2867,57 |

| | | |
|-----|------|---------|
| 103 | 1020 | 2308,09 |
| 104 | 1030 | 2329,42 |
| 105 | 1040 | 2350,75 |
| 106 | 1050 | 2372,08 |
| 107 | 1060 | 2393,41 |
| 108 | 1070 | 2414,74 |
| 109 | 1080 | 2436,07 |
| 110 | 1090 | 2457,4 |
| 111 | 1100 | 2478,73 |
| 112 | 1110 | 2500,06 |
| 113 | 1120 | 2521,39 |
| 114 | 1130 | 2542,73 |
| 115 | 1140 | 2564,06 |
| 116 | 1150 | 2585,39 |
| 117 | 1160 | 2606,72 |
| 118 | 1170 | 2627,88 |
| 119 | 1180 | 2649,3 |